


Structured Search

Database:	US Patents Full Text Database US Pre-Grant Publication Full-Text Database JPO Abstracts Database EPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Searchable Index:	<none> - All Fields ▼</none>
Term 1 text:	
Operator:	AND Proximity Distance: 1
Searchable Index:	<none> - All Fields ▼ Not Numeric ▼</none>
Term 2 text:	
Display:	Documents in Display Format: CIT Starting With #: 1
Generate:	O Hit List O Hit Count O Image
·	Search Clear Interrupt Help Logout ain Menu Show S Numbers Edit S Numbers Preferences
	Search History

Today's Date: 6/1/2001

DB Name	Query	<u>Hit</u> Count	Set Name
USPT,PGPB,JPAB,EPAB,DWPI	13 and 12	8	<u>L4</u>
USPT,PGPB,JPAB,EPAB,DWPI	707/\$.ccls or (717/\$)!.CCLS. or 711/\$.ccls.	13695	<u>L3</u>
USPT,PGPB,JPAB,EPAB,DWPI	((electronic document) or e-mail or (web page)) and l1	179	<u>L2</u>
USPT,PGPB,JPAB,EPAB,DWPI	((node or container or folder) and (placeholder or (reserv\$ near4 (slot or place or node or space or location or region))))	6311	<u>L1</u>



Search Results -

Terms	Documents
(container or tree or folder) and 18	11

US Patents Full Text Database US Pre-Grant Publication Full-Text Database JPO Abstracts Database EPO Abstracts Database Derwent World Patents Index Database: IBM Technical Disclosure Bulletins

	(container	or tree	or folde:	r) and 18		
Refine Search:					┰	Clear
	<u> </u>					F

Search History

Today's Date: 6/1/2001

DB Name	Query	<u>Hit</u> Count	<u>Set</u> <u>Name</u>
USPT,PGPB,JPAB,EPAB,DWPI	(container or tree or folder) and 18	11	<u>L9</u>
USPT,PGPB,JPAB,EPAB,DWPI	((placeholder or (place holder)) and 15)	20	<u>L8</u>
USPT,PGPB,JPAB,EPAB,DWPI	((placeholder or (place holder)) and l6)	0	<u>L7</u>
USPT,PGPB,JPAB,EPAB,DWPI	container.ab,ti,clm. and 15	10	<u>L6</u>
USPT,PGPB,JPAB,EPAB,DWPI	(lintz\$.xa,xp.)	670	<u>L5</u>
USPT,PGPB,JPAB,EPAB,DWPI	13 and 12	8	<u>L4</u>
USPT,PGPB,JPAB,EPAB,DWPI	707/\$.ccls or (717/\$)!.CCLS. or 711/\$.ccls.	13695	<u>L3</u>
USPT,PGPB,JPAB,EPAB,DWPI	((electronic document) or e-mail or (web page)) and l1	179	<u>L2</u>
USPT,PGPB,JPAB,EPAB,DWPI	((node or container or folder) and (placeholder or (reserv\$ near4 (slot or place or node or space or location or region))))	6311	<u>L1</u>

WEST

End of Result Set

Generate Collection

L3: Entry 1 of 1

May 29, 2001

DOCUMENT-IDENTIFIER: US 6240493 B1

TITLE: Method and apparatus for performing access censorship in a data processing system

File: USPT

BSPR:

In the data processing system art, it is often desirable to be able to protect an entire system or selected portions of a system from accesses which are defined as unauthorized. As an example, an unauthorized access may be either a read access, a write access, or both types of accesses to a memory storage device storing program or data information used by the data processing system. In some data processing systems an unauthorized access may be defined as an access to a particular resource, such as a port on a micro controller integrated circuit, that is used to access one or more external integrated circuit terminals. In yet other data processing systems, an unauthorized access may be defined as an access to a particular resource of the data processing system, such as debug circuitry or timing circuitry. Regardless of the resource to be protected, an improved approach to protecting against unauthorized accesses was desired.

DEPR

Still referring to FIG. 2, the function of access control circuitry 38 is affected by the value of access bit 42, FIC bit 44, and the censor bits [0:1] 50,51. Although in the embodiment of the present invention illustrated in FIG. 1, the access control circuitry 38 and control bits 42, 44, 50 and 51 have been illustrated as being located in non-volatile memory module 20, alternate embodiments of the present invention may locate these bits and this circuitry in any portion of data processing system 10. FIG. 2 illustrates eleven possible resulting status states that may be produced by access control circuitry 38 in one embodiment of the present invention. Note that alternate embodiments of the present invention may define any number of resulting status states, some of which are different or the same as the eleven resulting status states defined in FIG. 2.

DEPR:

If censorship is not performed, the flow continues at decision diamond 113 where the force information censorship (FIC) bit 44 is sampled. If the FIC bit 44 is set, then the flow continues at decision diamond 114. Similarly, if the censor bits [0:1] 50, 51 indicate that censorship is to be checked, the flow likewise continues at decision diamond 114. Referring back to decision diamond 113, if the FIC bit 44 is not set, then data processing system 10 does not care about access control and the flow continues at step 123 where the access is completed in a normal fashion. Referring to decision diamond 114, the logic state of access bit 42 is now checked. This allows the program to bypass the security if desired. If the access bit 42 is set, then the program has temporarily allowed access and the flow continues at step 123 where the access is allowed to complete normally. However, if the access bit 42 is not set, then data processing system 10 still cares about censorship and the flow continues at decision diamond 115.

DEPR:


Referring to FIGS. 1, 2 and 3, access control bit 42 may be used to customize the censorship approach required by various purchasers of data processing system 10. Referring to FIG. 3, the various resulting status states determine whether access bits 42 may be changed or not. This particular feature is implemented in hardware. The purchaser of data processing system 10 may then store an access control software program in flash memory 34 or other memory within the system, e.g. other memory 18 or memory coupled to external bus 22 (not shown). This

access control software program may then be used to customize when an unlimited or uncensored access is provided to data processing system 10. Thus, purchasers of data processing system 10 may use the access bit 42 in combination with an access control program written by that purchaser to determine when to disable censorship so that the purchaser may access all resources within data processing system 10 (e.g. when a product is being field serviced or when the contents of flash memory 34 are being verified). Note that in one embodiment of the present invention, censor bits [0:1] 50, 51, in conjunction with intrusion latch 32, are the mechanisms that are used to prevent all intrusive accesses by the end user.

DEPR:


In one embodiment of the present invention, when data processing system 10 is provided to a purchaser after manufacture, all accesses to all systems within data processing system 10 are allowed. This means that the purchaser of data processing system 10 is able to program flash memory 34. In addition to a user application program stored in flash memory 34, the purchaser of data processing system 10 will also want to store an access control program in flash memory 34 to control the asserting and negating of access bit 42. The purchaser of data processing system 10 will then want to verify the contents of flash memory 34 and may use the FIC bit 44 to verify the access control portion of the program stored in flash memory 34. The purchaser of data processing system 10 may then program censor bits 50, 51 to provide the required level of censorship desired for the end user. Note that the censorship scheme as described in this document provides a mechanism to prevent intrusive or non-allowed accesses by an end user while still allowing the purchaser of data processing system 10 to access the disallowed resources within data processing system 10 (e.g. flash memory 34).

URPN: 4590552



Today's Date: 6/1/2001

DB Name	<u>Ouery</u>	Hit Count	Set Name
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	138 and categoriz\$	0	<u>L39</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	137 and section same elements	27	<u>L38</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	136 and data and storage	32	<u>L37</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	135 and contents same element	32	<u>L36</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	134 and folder and placeholder	53	<u>L35</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	133 and hierarch\$	1958	<u>L34</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	132 and (folder or container)	63272	<u>L33</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	electronic document management	1495213	<u>L32</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	130 and work adj unit	0	<u>L31</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	129 and folder same templates	112	<u>L30</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	127 and 128	45603	<u>L29</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	internet or world wide web or network	1523706	<u>L28</u>
USPT,PGPB,JPAB,EPAB,DWPI,TDBD	shared folders	101440	<u>L27</u>





Your wildcard search against 2000 terms has yielded the results below

Search for additional matches among the next 2000 terms

Generate Collection

Search Results - Record(s) 1 through 3 of 3 returned.

1. Document ID: US 6240414 B1

L1: Entry 1 of 3

File: USPT

May 29, 2001

US-PAT-NO: 6240414

DOCUMENT-IDENTIFIER: US 6240414 B1

TITLE: Method of resolving data conflicts in a shared data environment

DATE-ISSUED: May 29, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Beizer; Mordechai M.	Scarsdale	NY	N/A	N/A
Berg; Daniel	Wilton	CT	N/A	N/A
Scullard; Rand	New York	NY	N/A	N/A
Simha; Pradeep R.	St. James	NY	N/A	N/A
Solomon; Mark A.	N. Massapequa	NY	N/A	N/A

US-CL-CURRENT: $\frac{707}{8}$; $\frac{707}{1}$, $\frac{707}{10}$

								101-1-1	14040	Danie Doco	lostico
Full	Title	Citation	Front	Review	Classification	Date	Keterence	Liaims	NOOL	DIAM DESC	mege

2. Document ID: US 5991595 A

L1: Entry 2 of 3

File: USPT

Nov 23, 1999

US-PAT-NO: 5991595

DOCUMENT-IDENTIFIER: US 5991595 A


TITLE: Computerized system for scoring constructed responses and methods for training, monitoring, and evaluating human rater's scoring of constructed responses

DATE-ISSUED: November 23, 1999

INVENTOR-INFORMATION:

THV DIVIOR THE COMMON CO.			GED CODE	COUNTRY
NAME	CITY	STATE	ZIP CODE	COUNTRI
Romano; Frank J.	Yardville	NJ	N/A	N/A
Grant; Mark	New Hope	PA	N/A	N/A
Farnum; Marisa D.	Princeton	NJ	N/A	N/A

US-CL-CURRENT: 434/353; 382/321, 434/118, 434/322, 434/350



Full Title Citation Front Review Classification Date Reference Claims KMC Draw Desc Image 3. Document ID: US 5523942 A File: USPT Jun 4, 1996 L1: Entry 3 of 3 US-PAT-NO: 5523942 DOCUMENT-IDENTIFIER: US 5523942 A TITLE: Design grid for inputting insurance and investment product information in a computer system DATE-ISSUED: June 4, 1996 INVENTOR-INFORMATION: STATE ZIP CODE COUNTRY CITY NAME N/A N/A Tyler; Max C. Duxbury MA Peabody MA N/A N/A Maimone; Maureen A. N/A N/A Framingham MA Lev; Christina M. N/A Haverhill MA N/A Baker; Norman W. N/A N/A Watson; Robert W. Melrose MA US-CL-CURRENT: 705/4; 705/34, 707/507 Title Citation Front Review Classification Date Reference Claims KMC Draw. Desc Image **Generate Collection Documents Terms** 3 struct\$ same workfolder

20 Documents, starting with Document: 3

Display

Change Format Display Format: CIT